



सत्यमेव जयते

भारतसरकार
GOVERNMENT OF INDIA
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE
समन्वित क्षेत्रीय कार्यालय
INTEGRATED REGIONAL OFFICE
Ground Floor, East Wing, New Secretariat Building
Civil Lines, Nagpur - 440001
E-mail: apccfcentral-ngp-mef@gov.in



F.No:EC-696/RON/2018-NGP | 10294

Dated: 08.09.2022.

To

Shri Ganasan Muruganandam, Unit Head
M/s. Deepak Nitrite Limited
Plot No. 1-7, 26-31, MIDC Industrial Area, Dhatav,
Taluka Roha, District Raigad, Maharashtra- 402 116

Subject: Modernization with change in product mix of existing manufacturing facility for Synthetic Organic Chemicals and Speciality Chemicals at MIDC Industrial Area Dhatav, Taluka Roha, District Raigad, Maharashtra by M/s. Deepak Nitrite Limited- Issue of Certified Compliance Report- Reg.


Sir,

This has reference to your request for the issue of CCR for the above project. In this regard, the above said project was inspected by this office on 02.09.2022. After the site visit and review of additional documents submitted, the implementation of environmental safeguards status in the plant is rated as satisfactory. Copy of the Inspection report is enclosed.

This issues with the approval of Competent Authority.

Encl: As above

Yours faithfully


(E.Thirunavukkarasu)
Scientist 'E'

GOVERNMENT OF INDIA
Ministry of Environment, Forest and Climate Change
Integrated Regional Office, Nagpur

MONITORING REPORT

PART – I

F.No:EC-696/RON/2018-NGP

- | | |
|---------------------------------------|---|
| 1. Name of the projects | Modernization with change in product mix of existing manufacturing facility for Synthetic Organic Chemicals and Speciality Chemicals at MIDC Industrial Area Dhatav, Taluka Roha, District Raigad, Maharashtra by M/s. Deepak Nitrite Limited |
| 2. Clearance letter No.& Date | F.No. J-11011/363/2016-IA-II(I) dated 02.01.2018
Amendment dated 12.04.2018 |
| 3. Location: District and state/UT | Plot No. 1-7, 26-31, MIDC Industrial Area, Village-Dhatav, Tal.-Roha, Raigad, Maharashtra- 402 116 |
| 4. Address for Correspondence | Shri Ganasan Muruganandam, Unit Head
M/s. Deepak Nitrite Limited
Plot No. 1-7, 26-31, MIDC Industrial Area, Dhatav,
Taluka Roha, District Raigad, Maharashtra- 402 116 |
| 5. Date of site visit for this report | 02.09.2022 |
| 6. Date of previous visit(s) if any | ... |

Brief on the projects along with Present status: The project was inspected on 02.09.2022. During the visit, Shri. Ganeshn Muruganandam, Sr,GM, Unit Head, Shri Kamlesh Patel, GM, Safety, Health and Environment (SHE), Shri Anwar Shaikh, Chief Manager, SHE, Shri Nitin Dangale, Chief Manager, HR& Admin, Shri Shailendra Tandel, Manager, SHE and Shri Gaurav Patil, Dy. Manager, SHE of the project were present.

Environmental Clearance: Ministry vide letter dated 02.01.2018 granted environmental clearance for modernization with change in product mix of existing manufacturing facility for synthetic organic chemicals and specialty chemicals. During the site inspection it was informed that manufacturing of the approved products has been commenced in April 2018.

Proposal: PP proposed for expansion of their products and has applied for expansion to SEAC Maharashtra on 04.02.2022 for the EC. Accordingly requested for CCR.

Effluent Treatment and Disposal: ETP of 400 KLD has been provided for the treatment of process effluent. High TDS effluent is being treated in MEE and treated effluent is sent to the near by CETP for further treatment and disposal. Online effluent monitoring system has been provided for continuous monitoring of treated effluent and connected to the servers of CPCB and MPCB.

Air pollution Control: Dust collector, cyclone with bag filter has been provided for emission control from boiler. Scrubber has been provided for controlling the process emissions. Online stack emission monitoring system has been provided for the coal fired boiler and connected to the servers of CPCB and MPCB.



Solid Waste Management: All the solid waste generated including glass ware and insulating materials are generated from the activity and the same are sent to Hazardous waste treatment facility. PP has valid authorization from MPCB.

Green Belt: PP informed that since the industry is located within the area allotted by MIDC, there is less open space left by the predecessor, tree plantation done in premises around 3976 sq. mtr. area only. In addition, developed green belt of 12,281 sqm is in Survey Numbers 21/3, 171/12, 206/4D, village Dhatav owned by Deepak Nitrite Limited which is about 500 mts from the project. Thus the total green belt development is about 46 %.

CSR: PP has taken various activities relating to Health [well-equipped ambulance van to Roha Tahsil office, Mobile health center] integrated child development, tree plantation, drinking water facility, Rainwater harvesting, farm water ponds, library, trainings to nearby villagers, etc., under CSR activities. Further reported that during Covid 19, provided medicals helps like hand and work place sanitizers, mask, hand gloves, Vitamin C, medical staff were provided, etc. Reported that Rs 3,22,44004/- was spent under CSR so far.

EMC: PP has established Environmental Management Cell to look after the Environmental aspects.

Earlier inspection: The project was earlier inspected by this office on 05.09.2019 and following observations were made

- i. PA shall monitor ambient noise levels during day and night times.
- ii. PA did not provide details regarding court cases, show cause/closure notices

Based on the above, PP has carried out Noise level monitoring during night time and also and submitted reports. Regarding, Court cases and SCN, PP informed that there are Court cases, SCN and closure directions are not pending against the project.

Based on the records, observation made during the day of site inspection and information provided by the PA a detailed compliance report is prepared. The status of compliance to the conditions stipulated in the environmental clearance is rated as **Satisfactory**.

However, this being a synthetic chemical unit, the PP has been advised to be more vigilant and ensure strict implementation of the existing Environment management measures including Safety practices like imparting regular trainings to staff and personnel, conduct of regular checks of hazardous and flammable material storage/transfer pipelines, process equipment/reactors, leak detection systems, regular calibration of monitoring equipment/ devices, conduct of mock drills, updating of disaster management strategies from time-to-time as applicable etc., and the PP has agreed to the above recommendations.



(E.Thirunavukkarasu)
Sci E



Fig: Google imagery of M/s Deepak Nitrates, Dhatav, Maharashtra

Handwritten signature

Part-II- Compliance in details

Sr. No.	Conditions	Compliance Status
1	Locally available raw materials shall not be stored for more than three days.	Complied. PP informed that majority of raw material are being purchased locally and stored for only 3 days.
2	Green belt of at least 10 m width shall be developed along the periphery of the plant (excluding the existing building/storage area) with three layers of trees. At least 33 % of the area shall be developed/ compensated as green area with trees.	PP informed that since the industry is located within the area allotted by MIDC, there is less open space left by the predecessor, tree plantation done in premises around 3976 sq. mtr. area only. In addition, developed green belt of 12,281 sqm is in Survey Numbers 21/3, 171/12, 206/4D, village Dhatav owned by Deepak Nitrite Limited which is about 500 mts from the project. PA further informed that they have submitted letter to MoEFCC for correction of clause on 17.04.2018. As per MIDC Development Control Rules, 9 m open space including 6 m road on the periphery of plot is maintained.




Fig: Green belt at the site

3	Continuous online (24 X 7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel /drain carrying effluent within the premises. In case of the treated effluent to be utilized for irrigation /gardening, real time monitoring system shall be installed at the ETP outlet.	Complied. Continuous online (24 x7) monitoring system installed in the unit as per MPCB guidelines. Data uploaded on company's website and provided to the respective RO of CPCB and MPCB.
---	---	---

- | | | |
|---|--|--|
| 4 | Fresh water requirement shall be restricted to 420 m ³ /Day. | PA informed that fresh water requirement from MIDC is restricted and treated effluent recycled for in process for washings. Average daily freshwater consumption for last six month is 510 m ³ /day. Increased fresh water consumption is due to concrete road construction activity. |
| 5 | Smart energy conservation equipment (like LED/Solar light) shall be installed in the factory and premises. | Complied. Reported that about 150 no's of LED lights equivalent to 1.53 KW have been installed throughout the factory. The daily power saving is around 16.2 Kw/hr. |
| 6 | 25% of the total power requirement shall be produced from solar power/ renewable energy sources | PA informed that since the facility is located within the industrial area, limited flat surface 210 sq. m. (admin bldg.) is available for solar installation and with the available area solar power of 43 KWp is generated. Further, letter to MoEFCC for correction of clause on 17.04. 2018. |





Fig. Solar Panels

- | | | |
|---|---|---|
| 7 | Hazardous waste shall be handled and disposed as per the provisions of the Hazardous and Other wastes (Management and Tran's boundary movement) Rules, 2016 and necessary permissions shall be obtained under the said rules. | Complied. PA has valid consent/ authorization from MPCB. Copy enclosed at Annexure-I. |
| 8 | The by-products which fall under the hazardous Waste Rules, be handled as per the provisions of the said Rules and necessary permissions shall be obtained under the said rules. | PP agreed to comply with the condition whenever required. |
| 9 | Solid Waste shall be handled as per the provisions of the Solid Waste Management Rules, 2016 and necessary permissions shall be obtained under the said rules. | Complied. |

[Handwritten Signature]

- | | | |
|----|--|---|
| 10 | Unit shall have an environment management cell with full-fledged laboratory and an Environmental Manager having Postgraduate/Graduate qualification in environmental Sciences/Environmental Engineering. | Complied. PP has established environment management cell with qualified person and full-fledged laboratory facility. |
| 11 | Enterprises Social Commitment (ESC) plan shall be implemented with at least 5 % of the expansion cost. | Complied. According to the records, PP has carried out activities in the field of Education, Health and social infrastructure. An amount of Rs 3,22,44004/- been spent so far. |

B. GENERIC CONDITIONS

- | | | |
|---|--|---|
| 1 | The project authorities must strictly adhere to the stipulations made by the Central Pollution Control Board, State Pollution Control Board and any other statutory authority. | Complied. PP has valid consent from MPCB and strictly complying consent conditions and all regulations laid by state and local legal authority. |
| 2 | No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any. | Agreed by the PP. PP informed that they have proposed for expansion and accordingly has applied for expansion to SEAC Maharashtra on 04.02.2022 for the EC. |
| 3 | The location of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated. | Complied. PP informed that locations of ambient air quality monitoring stations are decided in consultation with MPCB. |
| 4 | The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16th November, 2009 shall be followed. | Complied. According to the records, PP carry out monthly monitoring and the parameters are within the norms. Copy of the latest monitoring reports are enclosed at Annexure-II. |
| 5 | The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (protection) Act, 1986 Rules, 1989 viz. 75 dBa (day time) and 70 dBa (night time). | Complied. PP has provided acoustic enclosure to DG sets, silencer provided at high noise equipment's, and provided /made mandatory to use earmuff and plug to employee working in high noise area. Monitoring are carried out monthly and noted that the levels are within the norms. Copy of the latest monitoring reports are enclosed at Annexure-III. |



- 6 The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water. **Complied.** According to PP, rainwater collection tank of 25 KL capacity is installed and about 397 KLD water collected and recycled in the process in FY-201-22.
- 7 Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted. **Complied.** According to the records, PP has imparted training on various modules like induction/ introduction training, chemical handling, MSDS, Basic fire safety etc. PP is also conducting pre-employment medical examination and annual medical examination to the employees and workers.
- 8 The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented. **Complied.** All the environmental protection measures relating to the project are implemented. Further, PP have reported that they have provided certain safety measures as;
 - All Electrical Fittings – FLP confirming to Class C
 - Hydrogen & Hydrocarbon Gas Detectors provided at Cascade; trolley shed.
 - Operations are controlled through DCS- with inbuilt safety interlocks.
 - Safety Relieve valve, Rupture Disk, Breather Valve provided at respective tanks and reactors. Pressure Reducing stations – with periodical checks
 - Manual Call Point provided at respective points.
- 9 The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. ESC activities shall be undertaken by involving local villages and administration. **Complied.** As per the records produced, PP has taken various activities relating to Health [well-equipped ambulance van to Roha Tahsil office, Mobile health center] integrated child development, tree plantation, drinking water facility, Rainwater harvesting, farm water ponds, library, trainings to nearby villagers, etc., under CSR activities. Further reported that during Covid 19, provided medicals helps like hand and work place sanitizers, mask, hand gloves, Vitamin C, medical staff were provided, etc. Reported that Rs 3,22,44004/- was spent under CSR so far.
- 10 The company shall undertake eco-developmental measures including community welfare measures in the project area for overall improvement of the environment. **Refer point 9 compliance.**



- 11 The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose. **Complied.** According to PP, Rs 2190 lakhs is the budget allocated for EMP during the current year. The details as follows:
- ETP operations – 1398 Lakhs.
 - Up gradation of ETP / advance treatment- 680 Lakhs
 - Solar panel installation- 100 Lakhs
 - Tree plantation and maintenance – 12 lakhs
- 12 A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zillah Parishad / Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. **Complied.**
- 13 The project proponent shall also submitted six monthly report on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF & CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company. **Complied.**
- 14 The environmental statement for each financial year ending 31st March in Form-V as in mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF & CC by e-mail. **Complied.**
- 15 The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB / Committee and may also be seen at Website of the Ministry at <http://moef.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned. **Complied.**

- 16 The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date start of the project. **Complied.**



(E.Thirunavukkarasu)
Sci 'E'

A-I

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (R22)
No:- Format1.0/CC/UAN No.MPCB-
CONSENT-0000116158/CO/2202001572

Date: 24/02/2022

To,
M/s. Deepak Nitrite Ltd.,
Plot No:- 1-8 and 26-31, MIDC Dhatav
Tal:- Roha, Dist:- Raigad.



Your Service is Our Duty

Sub: Grant of Amendment in existing Consent to Operate for change in Product under Product Mix.

- Ref:**
1. Consent to Operate accorded by Board with amalgamation vide No. Format1.0/CC/UAN No.0000100032/CO-2102000315, dtd. 05.02.2021 which is valid upto 30.06.2024.
 2. Environment Clearance granted by MoEF&CC, Government of India vide F. NO. J-11011/363/2016-IA II(I) dtd.12.04.2018.
 3. Minutes of 2nd Meeting of Technical Committee Meeting (2021-2022) held on 30.10.2021.
 4. Minutes of the 15th Consent Committee Meeting dtd. 30.12.2021.

Your application No.MPCB-CONSENT-0000116158 Dated 20.06.2021

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 30/06/2024**
2. **The capital investment of the project is Rs.73.41 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 72.91 Crs + Increase in C.I. - Rs. 0.5 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Para Cumidine (PC)/ Para Nitro Cumidine (PNC) or 3 Amino Benzo tri fluoride (3ABTF)/ 3 Nitro Amino Benzo tri fluoride (3 NABTF)	200	MT/M

Sr No	Product	Maximum Quantity	UOM
2	Ortho Anisidine (OA) or Tri Methyl Hydro Quinine (THMQ)	30	MT/M
3	2,4 Xylidine and 2,6 Xylidine OR 2,3 Xylidine and 3,4 Xylidine OR 2,5 Xylidine or 2,3 Xylenol OR 2, 4 and 2, 5 Xylenol	250	MT/M
4	Diphenyl amine derivatives- 4-Methoxy-2- Methyl Diphenyl Amine (MMDPA)	60	MT/M
5	Diethyl meta Amino Phenol (Cryst DEMAP) or Dibutyl Para Phenylene Di amine (DBPPDA) or 3 Nitro Acetophenone (3NAP) or 3 Amino Acetophenone (3AAP) or 3 Hydroxy Acetophenone (3 HAP)	10	MT/M
6	3 Trifluoro Methyl Acetophenone (TFMAP) and Meta Hydroxy Benzo Trifluoride (MHBTF)	110	MT/M
7	2 Methyl p-phenylene Diamine Sulfate (2MePPDASulfate) or 1,3 Cyclohexanedione (1,3 CHD)	70	MT/M
8	Pilot Plant Products (synthetic Organic chemicals)	10	MT/M

Total Products quantity shall not exceed more than 740 MT/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	228.0	As per Schedule-I	Partly recycle 15.0 CMD & partly CETP 213.0 CMD
2.	Domestic effluent	31.0	As per Schedule-I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Boiler-I (8 TPH) and Thermopack (6 Lakh KCal/Hr)	1	As per Schedule -II
2	S-2	Boiler-II (8 TPH) and Hot Oil Unit (4 Lakh KCal/Hr)	1	As per Schedule -II
3	S-3	Hot Oil Unit (4 Lakh KCal/Hr)	1	As per Schedule -II
4	S-4	Boiler-III (20 TPH)	1	As per Schedule -II
5	S-5	D. G. Set (750 KVA)	1	As per Schedule -II
6	S-6	D. G. Set (700 KVA)	1	As per Schedule -II
7	S-7	D. G. Set (500 KVA)	1	As per Schedule -II
8	S-8	Nitration plant Process Stack	1	As per Schedule -II

6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Rubber Hand Gloves / PVC shoes / Tarpaulin / Paper Bags / Contaminated Bags / Filter Bags	2.0	MT/A	Sale	Sale to Authorized party

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
2	Glass Ware / Broken Discarded Glass	1.0	MT/A	Sale	Sale to Authorized party
3	Insulating Material	2.0	MT/A	Sale	Sale to Authorized party
4	Boiler Ash	6	MT/Day	Sale	Sale to Brick Manufacturer

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	91.0	MT/A	Recycle*	Sale to authorised party / CHWTSDF
2	32.1 Spent chemicals	10855	MT/A	Recycle*	Sale to authorised party / CHWTSDF
3	35.3 Chemical sludge from waste water treatment	2378	MT/A	Landfill after treatment	CHWTSDF
4	33.1 Empty barrels/ containers /liners contaminated with hazardous chemicals /wastes	300	Nos./Y	Recycle*	Sale to authorised party / CHWTSDF
5	35.2 (Spent Catalyst)	0.646	MT/A	Recycle*	Sale to authorised party / CHWTSDF
6	36.1 Any process or distillation residue	336.2	MT/A	Incineration	CHWTSDF
7	37.3 Concentration or evaporation residues	564.0	MT/A	Landfil	CHWTSDF
8	20.4 Process Sludge (Ortho Nitro Cumene (from p-Cumidene))	1800	MT/A	Recycle* / Incineration	Sale to authorized party / CHWTSDF
9	20.4 Process Sludge (2 NBTF(2 Nitro BTF) /2 ABTF(2 Amino BTF)/4 ABTF(4 Amino BTF) from 3 Amino BTF)	492	MT/A	Recycle* / Incineration	Sale to authorised party / CHWTSDF
10	20.4 Process Sludge (PPO (Poly phenylene Oxide))	1620	MT/A	Recycle* / Incineration	Sale to authorised party / CHWTSDF

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
11	20.4 Process Sludge (OHBTf/OA BTf From TFMAP)	240	MT/A	Recycle* / Incineration	Sale to authorized party / CHWTsDF
12	20.4 Process Sludge (Ortho Toluidine (OT))	180	MT/A	Recycle* / Incineration	Sale to authorized party / CHWTsDF
13	20.4 By product (Aniline)	120	MT/A	Recycle*	Sale to authorized party / CHWTsDF

[- Industry shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016.]

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. The Project Proponent shall also comply with the Industry specific standards notified under Environmental Protection Act, 1986.
11. The applicant shall comply with the conditions stipulated in Environmental Clearance granted by MoEF&CC, Government of India vide F. NO. J-11011/363/2016-IA II(I) dtd. 12.04.2018.
12. The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
13. The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTsDF, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 through online manifest system.
14. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
15. Industry shall switch over to cleaner fuel instead of FO as per Boards Policy regarding use of pet coke and F.O. dtd. 05.02.2020.
16. This consent is issued with overriding effect on earlier Consent to Operate granted by the Board vide no. Format 1.0/AS(T)/UAN No. 0000100032/CO-2102000315 dated. 05.02.2021.
17. Industry shall comply with direction issued to CETP on 22.01.2021, regarding installation of two-way SCADA, Auto-sampler, Non-Return Valve (NRV) with positive discharge to CETP chamber.
18. This consent is issued pursuant to the decision of Minutes of the Meeting of Technical Committee for change in product mix Dated. 30/10/2021. This Consent is issued based on self-assessment of Pollution Load submitted by you in Board's prescribed format and Certificate of "No increase in pollution load" issued by empaneled auditors M/s. Aditya Environmental Services Pvt. Ltd. vide letter dtd. 15.06.2021. If any violation and / or submission of misleading information are noticed, then the consent issued will stand automatically cancelled and you have to follow the procedure of EIA Notification, 2006 and Amendments thereof for obtaining Environmental Clearance.
19. The industry shall ensure connectivity of continuous online monitoring system to the Board server & data to be transmitted directly from Data Logger to the Board server.

20. This consent is issued pursuant to the decision of the 15th Consent Committee Meeting held on 30.12.2021.
21. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.



Ashok Shingare

fcdaab1d
cb5a72af
07d0869a
377be588
776127de
e1f12625
d0a779a4
cb49114c

Signed by: Ashok Shingare
Member Secretary
For and on behalf of
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2022-02-24 8:05:58 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1500.00	TXN2106002125	29/06/2021	Online Payment
2	100000.00	TXN2202002008	15/02/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Raigad II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai





CIN : U73100MH2002PTC047077

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

Accredited by NABL vide Certificate Number TC-9807

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 & 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIR MONITORING REPORT

ULR: TC980722000005287F

Client's Name & Address M/s. Deepak Nitrite Ltd. Plot No.-1-6/26,27,29,31,MIDC DhatavRoha, Dist- Raigad-402109	Report ID EEL/ABD/A-575/05/2022-23	Date of Reporting 30/05/2022
--	---------------------------------------	---------------------------------

SAMPLING DETAILS

01) Discipline	Chemical
02) Group	Atmospheric Pollution
03) Location of Sampling	Gate No I
04) Sampling Procedure	IS 5182 (Part 5)
05) Sample Volume	SO ₂ :30 ml ×1 no. (Plastic Bottle), NO ₂ :30 ml×1 no. (Plastic Bottle) PM ₁₀ : Filter Paper: 1×1no. PM _{2.5} : Filter Paper: 1×1no.
06) Sample Status (Sealed/Unsealed)	Sealed
07) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd.
08) Date of Sampling	19/05/2022 to 20/05/2022
09) Time of Sampling & Sampling Duration	11:05 AM of 19/05/2022 to 11:05 AM of 20/05/2022(24hrs)
10) Date of Sample Received in Lab	23/05/2022
11) Analysis Start Date	23/05/2022
12) Ambient Temperature	37°C
13) Dry Bulb Temperature	37°C
14) Wet Bulb Temperature	34°C
15) Relative Humidity	74%
16) Instrument Details	Make/ Model No. AshaEnviro
	Serial No. AEE/APM500/33
	Calibration Date Calibration on:26/07/2021, Due On:25/07/2022

RESULT

Sr. No.	Parameter	UOM	Results	NAAQ Standards	Standard Method
1	Particulate Matter (PM ₁₀)	µg/m ³	42.74	≤ 100	IS 5182 (Part 23)
2	Particulate Matter (PM _{2.5})	µg/m ³	18.0	≤ 60	IS 5182 (Part 24)
3	Sulphur Dioxide (SO ₂)	µg/m ³	48.0	≤ 80	IS 5182 (Part 2)
4	Oxides of Nitrogen (NO _x)	µg/m ³	45.65	≤ 80	IS 5182(Part 6)

UOM - Unit of Measurement

Remark: - All above results are within National Ambient Air Quality Standards, Notification dtd November 18, 2009.

Reviewed By

(Ms. Dhanmashila Narwade)
(Dy. Technical Manager)

Authorized Signatory

(Mr. Prashant Patil)
(Asst. Technical Manager)

*****End of Report*****

Note:-The results pertain to tested portion of sample

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 & 08652671991
Email : mumbaisales@excellentenviro.com

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 & 9970429991/ 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIR MONITORING REPORT

ULR: TC980722000005287P

Client's Name & Address	Report ID	EEL/ABD/A-575/05/2022-23
M/s. Deepak Nitrite Ltd. Plot No.-1-6/26,27,29,31,MIDC DhatavRoha, Dist- Raigad-402109	Date of Reporting	30/05/2022

SAMPLING DETAILS

01) Discipline	Chemical
02) Group	Atmospheric Pollution
03) Location of Sampling	Gate No 1
04) Sampling Procedure	IS 5182 (Part 5)
05) Sample Volume	SO ₂ :30 ml ×1 no. (Plastic Bottle), NO ₂ :30 ml×1 no. (Plastic Bottle) PM ₁₀ : Filter Paper: 1×1no. PM _{2.5} : Filter Paper: 1×1no.
06) Sample Status (Sealed/Unsealed)	Sealed
07) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd.
08) Date of Sampling	19/05/2022 to 20/05/2022
09) Time of Sampling & Sampling Duration	11:05 AM of 19/05/2022 to 11:05 AM of 20/05/2022 (24hrs)
10) Date of Sample Received in Lab	23/05/2022
11) Analysis Start Date	23/05/2022
12) Ambient Temperature	37°C
13) Dry Bulb Temperature	37°C
14) Wet Bulb Temperature	34°C
15) Relative Humidity	74%
16) Instrument Details	Make/ Model No. AshaEnviro
	Serial No. AEE/APM500/33
	Calibration Date Calibration on:26/07/2021, Due On:25/07/2022

RESULT

Sr. No.	Parameter	UOM	Results	NAAQ Standards	Standard Method
1	Ammonia (NH ₃)	µg/m ³	25.10	≤ 400	Method 401 Air sampling and Analysis 3 rd Edition
2	Carbon Monoxide (CO)	mg/m ³	0.09	≤ 04	GC FID Methanizer Method
3	Ozone (O ₃)	µg/m ³	18.05	≤ 180	Method 411 Air sampling and Analysis 3 rd Edition
4	Lead (Pb)	µg/m ³	< 0.01	≤ 1.0	APHA 3120 B
5	Arsenic (As)	ng/ m ³	< 0.01	≤ 06	APHA 3120 B
6	Nickel (Ni)	ng/ m ³	< 0.01	≤ 20	APHA 3120 B
7	Benzene (C ₆ H ₆)	µg/m ³	< 0.01	≤ 05	IS 5182 Part 11:2006
8	Benzo (a) Pyrene (BaP)	ng/ m ³	< 0.001	≤ 01	IS 5182 Part 12:2004

UOM – Unit of Measurement, Remark: - All above results are within National Ambient Air Quality Standards, Notification dtd November 18, 2009.

Reviewed By


(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhanamashila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note: "The results pertain to tested portion of sample"



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 & 08652671991
Email : mumbaisales@excellentenviro.com

PUNE OFFICE : G. No. 1952, T. Tal. N. S. Road, Behind Chhatrapati Shivaji Maharaj Vastu Sangrahalaya, Pune - 411 004 & 02076000001



CIN : U73100MH2020PTC347047

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

Accredited by NABL vide Certificate Number, TC-9807

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 & 9970429991 / 7745069991

Email : eclab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIR MONITORING REPORT

ULR: TC980722000005288F

Client's Name & Address M/s. Deepak Nitrite Ltd. Plot No.-1-6/26,27,29,31,MIDC Dhatav Roha, Dist- Raigad-402109	Report ID EEL/ABD/A-576/05/2022-23	Date of Reporting 30/05/2022
--	--	--

SAMPLING DETAILS

01) Discipline	Chemical
02) Group	Atmospheric Pollution
03) Location of Sampling	Near ETP Area
04) Sampling Procedure	IS 5182 (Part 5)
05) Sample Volume	SO ₂ :30 ml ×1 no. (Plastic Bottle), NO ₂ :30 ml×1 no. (Plastic Bottle) PM ₁₀ : Filter Paper: 1×1no. PM _{2.5} : Filter Paper: 1×1no.
06) Sample Status (Sealed/Unsealed)	Sealed
07) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd.
08) Date of Sampling	19/05/2022 to 20/05/2022
09) Time of Sampling & Sampling Duration	11:15 AM of 19/05/2022 to 11:15 AM of 20/05/2022 (24hrs)
10) Date of Sample Received in Lab	23/05/2022
11) Analysis Start Date	23/05/2022
12) Ambient Temperature	37 ^o C
13) Dry Bulb Temperature	37 ^o C
14) Wet Bulb Temperature	34 ^o C
15) Relative Humidity	74%
16) Instrument Details	Make/ Model No. Asha Enviro
	Serial No. AEE/APM500/34
	Calibration Date Calibration on:26/07/2021, Due On:25/07/2022

RESULT

Sr. No.	Parameter	UOM	Results	NAAQ Standards	Standard Method
1	Particulate Matter (PM ₁₀)	µg/m ³	41.74	≤ 100	IS 5182 (Part 23)
2	Particulate Matter (PM _{2.5})	µg/m ³	33.08	≤ 60	IS 5182 (Part 24)
3	Sulphur Dioxide (SO ₂)	µg/m ³	36.56	≤ 80	IS 5182 (Part 2)
4	Oxides of Nitrogen (NO ₂)	µg/m ³	46.15	≤ 80	IS 5182(Part 6)

UOM - Unit of Measurement

Remark: - All above results are within National Ambient Air Quality Standards, Notification dtd November 18, 2009.

Reviewed By


(Signature)
(Ms. Dhammashila Narwade)
(Dy. Technical Manager)

Authorized Signatory

(Signature)
(Mr. Prashant Patil)
(Asst. Technical Manager)

*****End of Report*****

Note:-"The results pertain to tested portion of sample



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op, Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 & 08652671991

Email : mumbaisales@excellentenviro.com

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 + 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT AIR MONITORING REPORT

ULR: TC980722000005288P

Client's Name & Address	Report ID	EEL/ABD/A-576/05/2022-23
M/s. Deepak Nitrite Ltd.	Date of Reporting	30/05/2022
Plot No.-1-6/26,27,29,31,MIDC Dhatav Roha, Dist- Raigad-402109		

SAMPLING DETAILS

01) Discipline	Chemical	
02) Group	Atmospheric Pollution	
03) Location of Sampling	Near ETP Area	
04) Sampling Procedure	IS 5182 (Part 5)	
05) Sample Volume	SO ₂ :30 ml ×1 no. (Plastic Bottle), NO ₂ :30 ml×1 no. (Plastic Bottle) PM ₁₀ : Filter Paper: 1×1no. PM _{2.5} : Filter Paper: 1×1no.	
06) Sample Status (Sealed/Unsealed)	Sealed	
07) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt.Ltd.	
08) Date of Sampling	19/05/2022 to 20/05/2022	
09) Time of Sampling & Sampling Duration	11:15 AM of 19/05/2022 to 11:15 AM of 20/05/2022 (24hrs)	
10) Date of Sample Received in Lab	23/05/2022	
11) Analysis Start Date	23/05/2022	
12) Ambient Temperature	37°C	
13) Dry Bulb Temperature	37°C	
14) Wet Bulb Temperature	34°C	
15) Relative Humidity	74%	
16) Instrument Details	Make/ Model No.	AshaEnviro
	Serial No.	AEE/APM500/34
	Calibration Date	Calibration on:26/07/2021, Due On:25/07/2022

RESULT

Sr. No.	Parameter	UOM	Results	NAAQ Standards	Standard Method
1	Ammonia (NH ₃)	µg/m ³	15.02	≤ 400	Method 401 Air sampling and Analysis 3 rd Edition
2	Carbon Monoxide (CO)	mg/m ³	0.12	≤ 04	GC FID Methanizer Method
3	Ozone (O ₃)	µg/m ³	12.9	≤ 180	Method 411 Air sampling and Analysis 3 rd Edition
4	Lead (Pb)	µg/m ³	< 0.01	≤ 1.0	APHA 3120 B
5	Arsenic (As)	ng/ m ³	< 0.01	≤ 06	APHA 3120 B
6	Nickel (Ni)	ng/ m ³	< 0.01	≤ 20	APHA 3120 B
7	Benzene (C ₆ H ₆)	µg/m ³	< 0.01	≤ 05	IS 5182 Part 11:2006
8	Benzo (a) Pyrene (BaP)	ng/ m ³	< 0.001	≤ 01	IS 5182 Part 12:2004

UOM - Unit of Measurement

Remark: - All above results are within National Ambient Air Quality Standards. Notification dtd November 18, 2009.

Reviewed By


(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhammaswila Narwade)
(Dy. Technical Manager)

*****End of Report*****

Note: - "The results pertain to tested portion of sample"



AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CC / CPCB, New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HQ/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 ☎ 08652671991

Email : mumbaisales@excellentenviro.com

RAIGAD OFFICE : Plot No. 1559, Taluk Nandgaon, P. S. D. Chhatrapati Shivaji Maharaj, Aurangabad - 431008 ☎ 0240-6641879

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 & 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/F/066-7.8

AMBIENT NOISE MONITORING REPORT

Client's Name & Address M/s. Deepak Nitrite Ltd. Plot No.-1-6/26.27.29,31,MIDC DhatavRoha, Dist- Raigad-402109	Report ID EEL/ABD/N-130/05/2022-23	Date of Reporting 30/05/2022
--	---------------------------------------	---------------------------------

SAMPLING DETAIL

01) Location of Sampling	Near Boiler And DG	
02) Sampling Procedure	IS 4758	
03) Sample Collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd.	
04) Date of Sampling	19/05/2022 to 20/05/2022	
05) Time of Sampling & Sampling Duration	From 11:00 AM of 19/05/2022 to 11:00 AM of 20/05/2022 (24hrs)	
06) Sampling Duration	24 hrs. Day & Night	
07) Instrument Details	Make	MECO
	Serial No	DB-01
	Calibration Date	Calibration On: 24/09/2021 Due On: 23/09/2022

RESULT

Sr. No.	Time	UOM	Result (Day Time)	Result (Night Time)
MPCB Standard Limit			≤ 75	≤ 70
1	11:00 AM	dB (A)	71.0	
2	12:00 PM	dB (A)	70.5	
3	13:00 PM	dB (A)	72.1	
4	14:00 PM	dB (A)	70.6	
5	15:00 PM	dB (A)	71.0	
6	16:00 PM	dB (A)	70.4	
7	17:00 PM	dB (A)	67.5	
8	18:00 PM	dB (A)	68.1	
9	19:00 PM	dB (A)	70.4	
10	20:00 PM	dB (A)	71.3	
11	21:00 PM	dB (A)	70.6	
12	22:00 PM	dB (A)	68.6	
13	23:00 PM	dB (A)		67.5
14	24:00 AM	dB (A)		63.7
15	1:00 AM	dB (A)		62.2
16	2:00 AM	dB (A)		61.5
17	3:00 AM	dB (A)		64.3
18	4:00 AM	dB (A)		57.6
19	5:00 AM	dB (A)		62.4
20	6:00 AM	dB (A)	55.6	
21	7:00 AM	dB (A)	56.7	
22	8:00 AM	dB (A)	64.6	
23	9:00 AM	dB (A)	62.3	
24	10:00 AM	dB (A)	65.4	
	Average	dB (A)	67.45	62.74

UOM - Unit of Measurement, Remark: The Noise Level is within MPCB normal Limits.

Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhanushila Narwade)
(Dy. Technical Manager)

*****End of Report*****



Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CPCB, New Delhi,
Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op, Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Panvel - 410 206 ☎ 08652671991
Email : mumbalsales@excellentenviro.com

RAIGAD OFFICE : Plot No. 1-6/26.27.29,31, MIDC DhatavRoha, Dist- Raigad-402109 ☎ 0240-6641879 & 9970429991 / 7745069991

Excellent Enviro Laboratory & Research Center Pvt. Ltd.

(Formerly known as Excellent Enviro Laboratory & Research Center)

REGISTERED OFFICE : D-52/18, MIDC Waluj, Aurangabad - 431 136. ☎0240-6641879 & 9970429991 / 7745069991

Email : eelab@excellentenviro.com/info@excellentenviro.com/sales@excellentenviro.com

Format No. EELRC/LAB/T/066-7.8

AMBIENT NOISE MONITORING REPORT

Client's Name & Address M/s. Deepak Nitrite Ltd. Plot No.-1-6/26,27,29,31,MIDC DhatavRoha, Dist- Raigad-402109	Report ID EEL/ABD/N-131/05/2022-23	Date of Reporting 30/05/2022
--	---------------------------------------	---------------------------------

SAMPLING DETAILS

01) Location of Sampling	Near Gate 2	
02) Sampling Procedure	IS 4758	
03) Sample collected By	M/s. Excellent Enviro Laboratory & Research Center Pvt. Ltd.	
04) Date of Sampling	19/05/2022 to 20/05/2022	
05) Time of Sampling & Sampling Duration	From 11:10 AM of 19/05/2022 to 11:10 AM of 20/05/2022 (24hrs)	
06) Sampling Duration	24 hrs. Day & Night	
07) Instrument Details	Make	MECO
	Serial No	DB-01
	Calibration Date	Calibration On: 24/09/2021 Due On: 23/09/2022

RESULT

Sr. No	Time	UOM	Result (Day Time)	Result (Night Time)
	MPCB Standard Limit		≤ 75	≤ 70
1	11:10 AM	dB (A)	71.6	
2	12:10 PM	dB (A)	70.4	
3	13:10 PM	dB (A)	66.5	
4	14:10 PM	dB (A)	67.2	
5	15:10 PM	dB (A)	64.3	
6	16:10 PM	dB (A)	66.5	
7	17:10 PM	dB (A)	69.8	
8	18:10 PM	dB (A)	70.5	
9	19:10 PM	dB (A)	67.6	
10	20:10 PM	dB (A)	70.4	
11	21:10 PM	dB (A)	67.6	
12	22:10 PM	dB (A)	69.7	
13	23:10 PM	dB (A)		67.6
14	24:10 AM	dB (A)		66.5
15	1:10 AM	dB (A)		67.6
16	2:10 AM	dB (A)		64.8
17	3:10 AM	dB (A)		65.4
18	4:10 AM	dB (A)		62.1
19	5:10 AM	dB (A)		59.4
20	6:10 AM	dB (A)	56.5	
21	7:10 AM	dB (A)	54.7	
22	8:10 AM	dB (A)	55.4	
23	9:10 AM	dB (A)	64.3	
24	10:10 AM	dB (A)	62.7	
	Average	dB (A)	65.62	64.77

UOM - Unit of Measurement, Remark: The Noise Level is within MPCB normal Limits.


Reviewed By

(Mr. Prashant Patil)
(Asst. Technical Manager)

Authorized Signatory

(Ms. Dhanashila Narwade)
(Dy. Technical Manager)

*****End of Report*****



Page 1 of 1

AN "ENVIRONMENTAL LABORATORY" Recognised by MOEF & CPCB, New Delhi,

Notification F.No.LB/99/7/2021-INST LAB-HO-CPCB-HO/ Pvt-208/ 9254 Dated 1-12-2021 (Valid Upto 2-09-2023)

MUMBAI OFFICE : Dhawalgiri Co-op. Hsg. Society, Building No.1, Flat No. B-3, Near Peace Park Hotel, Thana Naka, Parvel - 410 206 & 08652671991

Email : mumbaisales@excellentenviro.com

RAIGAD OFFICE : Plot No. 1-6/26, 27, 29, 31, MIDC DhatavRoha, Dist- Raigad-402109

